

BAHAMA®

Jumbrella XL
Price List 2023



Jumbrella XL | round, square, rectangular



in m

ø 7
37 m²
12 Spokes

5 × 5
25 m²
12 Spokes

5.5 × 5.5
30.25 m²
12 Spokes










6 × 6
36 m²
12 Spokes

7 × 7
49 m²
12 Spokes



6 × 5.14
30.84 m²
12 Spokes

7 × 5
35 m²
12 Spokes

7 × 6
42 m²
12 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame											
1	 Jumbrella XL WITHOUT valance »betex®05« exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - numerous colors according to color chart - printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m²	7,225	6,715	7,225	7,825	9,625	7,825	8,960	9,945
2	 Jumbrella XL WITH valance »betex®05« exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	7,675	7,115	7,675	8,325	10,325	8,325	9,560	10,645
3	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black					without surcharge				
4	 Frame Color fancy designs	- aluminum frame in e.g. »Golden Oak« finish, concrete look or corten steel look - resin components in black					795				
5	 Frame Color custom finish	aluminum frame in custom RAL finish					585				
							without surcharge when at least 6 or more umbrellas are ordered under the same purchase order				
6	Resin Components in black	instead of white					without surcharge				
7	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel					485				
8	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible					180				
9	Umbrella Center Pole Reduction	on request					on request				
Umbrella Model and Frame with alternative Textile Membrane											
10	 Jumbrella XL WITHOUT valance »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - numerous colors according to color chart - printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m²	8,310	7,720	8,310	9,000	11,070	9,000	10,305	11,435
11	 Jumbrella XL WITH valance »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	8,825	8,180	8,825	9,575	11,875	9,575	10,995	12,240
Original Bahama Textile Membrane for Replacement											
12	WITHOUT valance	made of »betex®05« polyester fabric		3,275	2,865	2,960	3,075	3,685	2,960	3,050	3,350
13	WITH valance	made of »betex®05« polyester fabric		3,725	3,265	3,410	3,575	4,385	3,460	3,650	4,050
14	WITHOUT valance	made of »Precontraint 302« PVC coated polyester fabric		4,360	3,870	4,045	4,250	5,130	4,135	4,395	4,840
15	WITH valance	made of »Precontraint 302« PVC coated polyester fabric		4,875	4,330	4,560	4,825	5,935	4,710	5,085	5,645
Printing											
16	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)					please refer to separate printing price list				

Jumbrella XL | square, rectangular



in m

5 × 5
25 m²
12 Spokes

5.5 × 5.5
30.25 m²
12 Spokes












6 × 6
36 m²
12 Spokes

7 × 7
49 m²
12 Spokes







6 × 5.14
30.84 m²
12 Spokes

7 × 5
35 m²
12 Spokes












7 × 6
42 m²
12 Spokes

No.	Item	Description	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Textile Gutter TVR										
17	Frame Modification for Textile Gutter	- threaded sockets embedded in the spoke profile - all other installation accessories will be supplied with the textile gutter	190							
18	 Textile Gutter	 Textile gutter made of »betex®05« polyester fabric - including installation accessories	1,070	1,150	1,205	1,405	short side long side	1,070 1,205	1,070 1,405	1,205 1,405
19	 Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric - including installation accessories	1,225	1,320	1,385	1,615	short side long side	1,225 1,385	1,225 1,615	1,385 1,615
Side Panel										
20	Frame Modification for Side Panel	 - threaded sockets embedded in the profile of each intermediate spoke - all other installation accessories will be supplied with the side panel	190							
21	 Side Panel WITHOUT window	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges - including installation accessories	575	615	670	775	short side long side	585 670	575 775	670 775
22	 Side Panel WITHOUT window WITH door on right or left	same as 21, however, with: - roll-up door	785	820	875	985	short side long side	795 875	785 985	875 985
23	 Side Panel WITH window	 same as 21, however, with: - flexible window made of transparent film 0.5 mm thickness	600	645	710	820	short side long side	610 710	600 820	710 820
24	 Side Panel WITH window WITH door on right or left	same as 23, however, with: - roll-up door	810	855	915	1,030	short side long side	820 915	810 1,030	915 1,030
25	Connecting Piece	 - connecting piece for joining 2 parasols - textile with zippers	155	155	155	155		155	155	155

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
26	 Cross-Frame	 <ul style="list-style-type: none">- steel frame for 16 standard flagstones 500 x 500 x 50 mm (not included in the supply scope)- steel, galvanized- steel frame for 16 flagstones with tiltable connecting components, powder-coated in RAL color of parasol frame (inclusive)- wind warranty (mobile) valid only when using the specified flagstones- height adjustability in all 4 corners included for 16 flagstones	- size: 1200 x 1200 mm, weight: approx. 520 kg	1,695
27	Standard flagstones	- size: 500 x 500 x 50 mm	set of 16 flagstones	380
28	 Steel Plate Base with 4 Steel Plates	 <ul style="list-style-type: none">- hot-dip galvanized- screw-on receiving column, tiltable- without wind warranty*	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 280 kg)	2,545
29	 Steel Plate Base with 8 Steel Plates 2 layers	same as 26, however: <ul style="list-style-type: none">- with 8 steel plates- with wind warranty*	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 540 kg)	4,455
30	Powder Coating of 4 Steel Plates	- in traffic white RAL 9016, textured matte finish - in anthracite grey RAL 7016, textured matte finish	dimensions per plate: 740 × 740 × 15 mm	600
31	Spacer	 for steel plates e.g. for terrace substructures (custom height on request)	height: min. 134 mm – max. 385 mm	560
32	Spacer for Electrics Radiator	for steel plates e.g. for terrace substructures (custom height on request)	height: min. 134 mm – max. 385 mm	600

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
33	 In-Ground Installation, tiltable	 <ul style="list-style-type: none">- lower part to be set in concrete- powder coated above-ground connecting components with tilting hinge- with theft prevention device	weight: approx. 42 kg	600
34	 In-Ground Installation, tiltable WITH electrical connection Radiator	 same as 33, however: <ul style="list-style-type: none">- for umbrella with electromechanical features	weight: approx. 45.5 kg	700
35	In-Ground Installation Extension	 <ul style="list-style-type: none">- serves to bridge over a gap- e.g. an installation in a Kindergarten sandbox- In-Ground Installation, tiltable (No. 33 and 34)	- custom height: from 134 up to 400 mm - in accordance with	360
36	 Surface Mount	 <ul style="list-style-type: none">- powder-coated above-ground connecting components with tilting hinge- galvanized square steel plate	- dimensions: 610 × 610 × 20 mm - weight: approx. 77.5 kg	1,450
37	 Dual Mounting Console	 <ul style="list-style-type: none">- Surface Mount with spacer and tilting hinge- custom dimensions on request- comes with integrated theft prevention device and cover plateOPTIONAL- also available for umbrellas with electromechanical options	- weight: approx. 98 kg - height: min. 134 mm – max. 385 mm - plus 15 mm winter cover	1,825
38	 Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.	 <ul style="list-style-type: none">- type #FH II 18/30 SK A4- M12 thread for 2-piece flat foot mount with counter-bores- incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench		530

Bahama Wind Warranty










Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.







Jumbrella XL | round, square, rectangular



No.	Item	Description	all models Price in €
Protective Cover			
39	 Protective Cover – comfort	 <ul style="list-style-type: none">- made of »betex®05« polyester fabric color 9801 - concrete- with zipper for telescopic rod	445
40	 Protective Cover – comfort with telescopic rod	 <p>same as 39, but with:</p> <ul style="list-style-type: none">- telescopic rod	590
Impact Protection			
41	 Soft Foam Safeguard for center pole of umbrella	 <ul style="list-style-type: none">- 2-piece design- round shape, with Velcro- available in 10 colors	525
Lighting			
42	 Lighting	<ul style="list-style-type: none">- 4 LED-lamps- light temperature 2700 K- 4 × 4 W light power- supply power 240 V (available in US edition - 120 V)	645
43	 Lighting	<ul style="list-style-type: none">- 6 LED-lamps- light temperature 2700 K- 6 × 4 W light power- supply power 240 V (available in US edition - 120 V)	820
LED-Lighting			
44	 LED-Lighting with 8 RGBW-LED strips	<ul style="list-style-type: none">- 8 RGBW-LED strips- indirect RGBW-LED lighting 120-240/24 V- with remote control- integrated in umbrella spokes	1,520

Jumbrella XL | round, square, rectangular



No.	Item	Description	all models Price in €
Heating			
45	 Radiators	 <ul style="list-style-type: none">- 4 electric, turnable infrared radiators- 1,500 Watts per radiator- variable via remote control- can remain in closed umbrella- NEW! Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm²PLEASE NOTE: This option is suitable for cross-frames with levelling feet and 2-piece in-ground installation with electrical connection (No. 34) and steel plate base in connection with spacer for electrics (No. 32)	3,170
46	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	- 200
Speakers			
47	 Speakers	frame integrated audio system with 1 speaker	price upon request
TV			
48	 TV Frame Modification for 1 TV for 2 TVs	<ul style="list-style-type: none">- turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches- with quick-action slide-in module for easy mounting in umbrella- pre-mounted 230V power socket included (available in US edition - 120 V)- CAT7 wiring inside the umbrella pole	595 1,195
WLAN			
49	 Wifi Frame Modification	<ul style="list-style-type: none">- only possible in combination with LED-Lighting option- internal CAT7 wiring- integrated CAT7 RJ45 network interface to be connected inside the in-ground installation- internal power supply of the 24V DC router- Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case	1,680
50	External Control Unit	<ul style="list-style-type: none">- for 42-49 (all electromechanical features)- FI-switch- On/Off switch for each individual electromechanical option	price upon request
Transport Packaging			
51	 Forkliftable Packaging	3 wooden pallets incl. tension straps	145

Notes



01/2023

BAHAMA®