



BAHAMA®



⊗ ⊠ Magnum

www.bahama.de



Magnum

Magnum is our premium model with the largest covered space ranging from 37 m² to 140 m². All components of the structure are designed for the exposure to enormous loads. The stability at wind speeds of over 100 km/h is guaranteed. Depending on the price expectations and technical requirements, the additional features can be combined individually.



Overview

11 different model sizes ranging from 37 m² through 140 m²

Additional features available e.g.: textile gutters, side panels, LED-lighting, heaters, speakers, TV, Wifi, maritime frame edition, motorization

Depending on model opening and closing per crank or geared motor **1**

Perfect, lasting tension as the textile membrane is integrated into the spokes **2**

Very high wind stability

Excellent sun protection factor UPF 50+; high waterproofness

Individually replaceable spare parts

Printing possible

New generation radiators which can remain in closed parasol **3**

Installation of the umbrella via a mobile crane **4**

Textile Membrane | Covering

Preconstraint 502 Satin

- PVC coated Polyester 1100 Dtex with SERGE FERRARI PRECONSTRAINT® coating technology
- Fire retardant | DIN 4102-B1
- 40 contemporary colors

Umbrella Framel

Aluminum frame and component parts in RAL color of choice | glossy or textured finish; resin components in white or black

Special stability due to hollow profile made of extruded aluminum

Outer pole diameter approx. 220 mm, wall thickness approx. 10 mm

Scratch-resistant PES powder-coated center pole, post-baked

Equipped with torsion lock which prevents the twisting of the lifting pole

Cylindrical lock in front of the crank holder slot or the motor cover prevents unauthorized opening and closing

Installation Options

Permanent foundation element **5**

Lower part to be set in concrete **6**



With modification for electrical installations and/or heating options

Additional Features




Sizes

All measurements in meters

	round	Ø 7.0	Ø 8.0	Ø 9.0	Ø 10.0	Ø 11.0	Ø 12.0
	square	7.0 × 7.0	8.0 × 8.0	9.3 × 9.3	10.0 × 10.0	12.0 × 12.0	

Dimensions & Technical Data

Magnum



All measurements are approximate

	Ø 7 m 16 spokes	Ø 8 m 16 spokes	Ø 9 m 16 spokes	Ø 10 m 16 spokes	Ø 11 m 16 spokes	Ø 12 m 16 spokes
Area in m ²	37	48	61	76	92	109
Parasol weight without install. component & packag., in kg	775	845	910	1120	1285	1465
Transport weight** incl. packaging, in kg	775	845	910	1120	1285	1465
A Height closed* in cm	640	659	713	735	785	840
B Height opened* in cm	418	443	468	491	515	585
C Passage height* in cm	258	264	267	268	272	295
D Ground clearance* in cm	239	227	238	193	190	191
Max. permitted wind velocities opened parasol, km/h Permanent/Mobile	130	130	130	130	130	130



All measurements are approximate

	7 × 7 m 16 spokes	8 × 8 m 16 spokes	9.3 × 9.3 m* 16 spokes	10 × 10 m* 16 spokes	12 × 12 m* 20 spokes
Area in m ²	49	64	84	97	140
Parasol weight without install. component & packag., in kg	795	840	985	1275	1655
Transport weight** incl. packaging, in kg	795	840	985	1275	1655
A Height closed* in cm	683	749	768	797	929
B Height opened* in cm	451	484	508	519	595
C Passage height* in cm	276	285	276	278	296
D Ground clearance* in cm	162	157	156	134	124
Max. permitted wind velocities opened parasol, km/h Permanent/Mobile	130	130	130	130	130

* All measurements refer to the use with a permanent installation option (in-ground sleeve) ** wrapped in transport foil.

Scribble & Write

